



OVERVIEW

To convert an endpoint field reading into billing units, the reading data management software uses a Test Circle Code to identify the appropriate reading resolution to be applied to the endpoint meter reading. The Test Circle Code for high resolution encoders is based on the meter model and size, encoder type, unit of measure, and the Badger Meter® endpoint that is attached to the encoder.

A multiplier has also been provided for instances where test circle codes are not used, such as BEACON® AMA Software and partner connectivity. The multiplier calculates the decimal place and appropriate reading resolution.

For additional information, contact Badger Meter Technical Support.

TEST CIRCLE CODES FOR HR-E LCD AND E-SERIES® PROGRAMMED TO 9 DIGITS

9-Digit Gallons

Meter Model	Size	Encoder Resolution (9 Digits)	ORION® Cellular	ORION Fixed Network or Migratable Endpoints		ORION Classic Endpoints		GALAXY® Endpoints	
			Resolution Code (Multiplier)	Test Circle Code	Multiplier	Test Circle Code	Multiplier	Test Circle Code	Multiplier
Recordall Disc Series and E-Series									
LP	5/8", 5/8" x 3/4"	0.01	0.01	54	0.1	55	1	56	10
M25	5/8", 5/8" x 3/4"	0.01	0.01	54	0.1	55	1	56	10
M35	3/4"	0.01	0.01	54	0.1	55	1	56	10
M40	1"	0.01	0.01	54	0.1	55	1	56	10
M55	1"	0.01	0.01	54	0.1	55	1	56	10
M70	1"	0.01	0.01	54	0.1	55	1	56	10
E-Series	5/8...1"	0.01	0.01	54	0.1	55	1	56	10
M120	1-1/2"	0.1	0.1	55	1	56	10	57	100
M170	2"	0.1	0.1	55	1	56	10	57	100
E-Series	1-1/2", 2"	0.1	0.1	55	1	56	10	57	100
Recordall Turbo Series									
T160	1-1/2"	0.1	0.1	55	1	56	10	57	100
T200	2"	0.1	0.1	55	1	56	10	57	100
T450	3"	0.1	0.1	55	1	56	10	57	100
T1000	4"	0.1	0.1	55	1	56	10	57	100
T2000	6"	1	1	56	10	57	100	58	1000
T3500	8"	1	1	56	10	57	100	58	1000
T5500	10"	1	1	56	10	57	100	58	1000
T6200	12"	10	10	57	100	58	1000	59	10000
T6600	16"	10	10	57	100	58	1000	59	10000
T10000	20"	10	10	57	100	58	1000	59	10000
Recordall Compound Series									
High Side T200	2"	0.1	0.1	55	1	56	10	57	100
Low Side M25	2"	0.01	0.01	54	0.1	55	1	56	10
High Side T450	3"	0.1	0.1	55	1	56	10	57	100
Low Side M25	3"	0.01	0.01	54	0.1	55	1	56	10
High Side T1000	4"	0.1	0.1	55	1	56	10	57	100
Low Side M35	4"	0.01	0.01	54	0.1	55	1	56	10
High Side T2000	6"	1	1	56	10	57	100	58	1000
Low Side M35	6"	0.01	0.01	54	0.1	55	1	56	10
High Side T3500	8"	1	1	56	10	57	100	58	1000
Low Side M120	8"	0.1	0.1	55	1	56	10	57	100

9-Digit Cubic Feet

Meter Model	Size	Encoder Resolution (9 Digits)	ORION Cellular	ORION Fixed Network or Migratable Endpoints		ORION Classic Endpoints		GALAXY Endpoints	
			Resolution Code (Multiplier)	Test Circle Code	Multiplier	Test Circle Code	Multiplier	Test Circle Code	Multiplier
Recordall Disc Series and E-Series									
LP	5/8", 5/8" x 3/4"	0.001	0.001	53	0.01	54	0.1	55	1
M25	5/8", 5/8" x 3/4"	0.001	0.001	53	0.01	54	0.1	55	1
M35	3/4"	0.001	0.001	53	0.01	54	0.1	55	1
M40	1"	0.001	0.001	53	0.01	54	0.1	55	1
M55	1"	0.001	0.001	53	0.01	54	0.1	55	1
M70	1"	0.001	0.001	53	0.01	54	0.1	55	1
E-Series	5/8...1"	0.001	0.001	53	0.01	54	0.1	55	1
M120	1-1/2"	0.01	0.01	54	0.1	55	1	56	10
M170	2"	0.01	0.01	54	0.1	55	1	56	10
E-Series	1-1/2", 2"	0.01	0.01	54	0.1	55	1	56	10
Recordall Turbo Series									
T160	1-1/2"	0.01	0.01	54	0.1	55	1	56	10
T200	2"	0.01	0.01	54	0.1	55	1	56	10
T450	3"	0.01	0.01	54	0.1	55	1	56	10
T1000	4"	0.01	0.01	54	0.1	55	1	56	10
T2000	6"	0.1	0.1	55	1	56	10	57	100
T3500	8"	0.1	0.1	55	1	56	10	57	100
T5500	10"	0.1	0.1	55	1	56	10	57	100
T6200	12"	1	1	56	10	57	100	58	1000
T6600	16"	1	1	56	10	57	100	58	1000
T10000	20"	1	1	56	10	57	100	58	1000
Recordall Compound Series									
High Side T200	2"	0.01	0.01	54	0.1	55	1	56	10
Low Side M25	2"	0.001	0.001	53	0.01	54	0.1	55	1
High Side T450	3"	0.01	0.01	54	0.1	55	1	56	10
Low Side M25	3"	0.001	0.001	53	0.01	54	0.1	55	1
High Side T1000	4"	0.01	0.01	54	0.1	55	1	56	10
Low Side M35	4"	0.001	0.001	53	0.01	54	0.1	55	1
High Side T2000	6"	0.1	0.1	55	1	56	10	57	100
Low Side M35	6"	0.001	0.001	53	0.01	54	0.1	55	1
High Side T3500	8"	0.1	0.1	55	1	56	10	57	100
Low Side M120	8"	0.01	0.01	54	0.1	55	1	56	10

9-Digit Cubic Meter

Meter Model	Size	Encoder Resolution (9 Digits)	ORION Cellular	ORION Fixed Network or Migratable Endpoints		ORION Classic Endpoints		GALAXY Endpoints	
			Resolution Code (Multiplier)	Test Circle Code	Multiplier	Test Circle Code	Multiplier	Test Circle Code	Multiplier
Recordall Disc Series and E-Series									
LP	5/8", 5/8" x 3/4"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
M25	5/8", 5/8" x 3/4"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
M35	3/4"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
M40	1"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
M55	1"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
M70	1"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
E-Series	5/8...1"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
M120	1-1/2"	0.001	0.001	53	0.01	54	0.1	55	1
M170	2"	0.001	0.001	53	0.01	54	0.1	55	1
E-Series	1-1/2", 2"	0.001	0.001	53	0.01	54	0.1	55	1
Recordall Turbo Series									
T160	1-1/2"	0.001	0.001	53	0.01	54	0.1	55	1
T200	2"	0.001	0.001	53	0.01	54	0.1	55	1
T450	3"	0.001	0.001	53	0.01	54	0.1	55	1
T1000	4"	0.001	0.001	53	0.01	54	0.1	55	1
T2000	6"	0.01	0.01	54	0.1	55	1	56	10
T3500	8"	0.01	0.01	54	0.1	55	1	56	10
T5500	10"	0.01	0.01	54	0.1	55	1	56	10
T6200	12"	0.01	0.01	54	0.1	55	1	56	10
T6600	16"	0.01	0.01	54	0.1	55	1	56	10
T10000	20"	0.01	0.01	54	0.1	55	1	56	10
Recordall Compound Series									
High Side T200	2"	0.001	0.001	53	0.01	54	0.1	55	1
Low Side M25	2"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
High Side T450	3"	0.001	0.001	53	0.01	54	0.1	55	1
Low Side M25	3"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
High Side T1000	4"	0.001	0.001	53	0.01	54	0.1	55	1
Low side M35	4"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
High Side T2000	6"	0.01	0.01	54	0.1	55	1	56	10
Low Side M35	6"	0.0001	0.0001	52	0.001	53	0.01	54	0.1
High Side T3500	8"	0.01	0.01	54	0.1	55	1	56	10
Low side M120	8"	0.001	0.001	53	0.01	54	0.1	55	1

TEST CIRCLE CODES FOR HR-E LCD PROGRAMMED TO 6 DIGITS

An HR-E LCD encoder can be ordered in four, five or six-digit resolutions for certain applications. However, the following charts represent only the six-dial resolution. A “-1” Test Circle Code is used for all four or five-digit resolution HR-E LCD encoders.

6-Digit Gallons

Meter Model	Size	Encoder Resolution (6 Digits)	ORION Classic Endpoints	
			Test Circle Code	Multiplier
Recordall Disc Series				
LP	5/8", 5/8" x 3/4"	10	48	10
M25	5/8", 5/8" x 3/4"	10	48	10
M35	3/4"	10	48	10
M40	1"	10	48	10
M55	1"	10	48	10
M70	1"	10	48	10
M120	1-1/2"	100	49	100
M170	2"	100	49	100
Recordall Turbo Series				
T160	1-1/2"	100	49	100
T200	2"	100	49	100
T450	3"	100	49	100
T1000	4"	100	49	100
T2000	6"	1000	50	1000
T3500	8"	1000	50	1000
T5500	10"	1000	50	1000
T6200	12"	10000	51	10000
T6600	16"	10000	51	10000
T10000	20"	10000	51	10000
Recordall Compound Series				
High Side T200	2"	100	49	100
Low Side M25	2"	10	48	10
High Side T450	3"	100	49	100
Low Side M25	3"	10	48	10
High Side T1000	4"	100	49	100
Low side M35	4"	10	48	10
High Side T2000	6"	1000	50	1000
Low Side M35	6"	10	48	10
High Side T3500	8"	1000	50	1000
Low side M120	8"	100	49	100

6-Digit Cubic Feet

Meter Model	Size	Encoder Resolution (6 Digits)	ORION Classic Endpoints	
			Test Circle Code	Multiplier
Recordall Disc Series				
LP	5/8", 5/8" x 3/4"	1	65	1
M25	5/8", 5/8" x 3/4"	1	65	1
M35	3/4"	1	65	1
M40	1"	1	65	1
M55	1"	1	65	1
M70	1"	1	65	1
M120	1-1/2"	10	66	10
M170	2"	10	66	10
Recordall Turbo Series				
T160	1-1/2"	10	66	10
T200	2"	10	66	10
T450	3"	10	66	10
T1000	4"	10	66	10
T2000	6"	100	67	100
T3500	8"	100	67	100
T5500	10"	100	67	100
T6200	12"	1000	68	1000
T6600	16"	1000	68	1000
T10000	20"	10000	*	10000
Recordall Compound Series				
High Side T200	2"	10	66	10
Low Side M25	2"	1	65	1
High Side T450	3"	10	66	10
Low Side M25	3"	1	65	1
High Side T1000	4"	10	66	10
Low side M35	4"	1	65	1
High Side T2000	6"	100	67	100
Low Side M35	6"	1	65	1
High Side T3500	8"	100	67	100
Low side M120	8"	10	66	10

* For additional test circle information, contact Badger Meter Technical Support.

6-Digit Cubic Meter

Meter Model	Size	Encoder Resolution (6 Digits)	ORION Classic Endpoints	
			Test Circle Code	Multiplier
Recordall Disc Series				
LP	5/8", 5/8" x 3/4"	0.1	96	0.1
M25	5/8", 5/8" x 3/4"	0.1	96	0.1
M35	3/4"	0.1	96	0.1
M40	1"	0.1	96	0.1
M55	1"	0.1	96	0.1
M70	1"	0.1	96	0.1
M120	1-1/2"	1	97	1
M170	2"	1	97	1
Recordall Turbo Series				
T160	1-1/2"	1	97	1
T200	2"	1	97	1
T450	3"	1	97	1
T1000	4"	1	97	1
T2000	6"	10	98	10
T3500	8"	10	98	10
T5500	10"	10	98	10
T6200	12"	10	98	10
T6600	16"	10	98	10
T10000	20"	10	98	10
Recordall Compound Series				
High Side T200	2"	1	97	1
Low Side M25	2"	0.1	96	0.1
High Side T450	3"	1	97	1
Low Side M25	3"	0.1	96	0.1
High Side T1000	4"	1	97	1
Low side M35	4"	0.1	96	0.1
High Side T2000	6"	10	98	10
Low Side M35	6"	0.1	96	0.1
High Side T3500	8"	10	98	10
Low side M120	8"	1	97	1

INTENTIONALLY BLANK PAGE

Making Water Visible®

Making Water Visible, GALAXY, ORION, ReadCenter, Recordall and RTR are registered trademarks of Badger Meter, Inc. Other trademarks appearing in this document are the property of their respective entities. Due to continuous research, product improvements and enhancements, Badger Meter reserves the right to change product or system specifications without notice, except to the extent an outstanding contractual obligation exists. © 2015 Badger Meter, Inc. All rights reserved.

www.badgermeter.com

The Americas | Badger Meter | 4545 West Brown Deer Rd | PO Box 245036 | Milwaukee, WI 53224-9536 | 800-876-3837 | 414-355-0400
México | Badger Meter de las Americas, S.A. de C.V. | Pedro Luis Ogazón N°32 | Esq. Angelina N°24 | Colonia Guadalupe Inn | CP 01050 | México, DF | México | +52-55-5662-0882
Europe, Middle East and Africa | Badger Meter Europa GmbH | Nurtinger Str 76 | 72639 Neuffen | Germany | +49-7025-9208-0
Europe, Middle East Branch Office | Badger Meter Europe | PO Box 341442 | Dubai Silicon Oasis, Head Quarter Building, Wing C, Office #C209 | Dubai / UAE | +971-4-371 2503
Czech Republic | Badger Meter Czech Republic s.r.o. | Mařikova 2082/26 | 621 00 Brno, Czech Republic | +420-5-41420411
Slovakia | Badger Meter Slovakia s.r.o. | Racianska 109/B | 831 02 Bratislava, Slovakia | +421-2-44 63 83 01
Asia Pacific | Badger Meter | 80 Marine Parade Rd | 21-06 Parkway Parade | Singapore 449269 | +65-63464836
China | Badger Meter | 7-1202 | 99 Hangzhong Road | Minhang District | Shanghai | China 201101 | +86-21-5763 5412